

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.61
SEASON 1922.

Business Established 1855

PRICE LIST

FARM AND GARDEN SEEDS

J. & T. ADIKES

FULTON ST., JAMAICA, N. Y.

BROADWAY, near Bridge St. Station, FLUSHING, N. Y.

0018 Jamaica

0019 Jamaica

TELEPHONES

0118 Flushing

0398 Flushing

GENERAL DEALERS IN
HAY, FEED, FLOUR, OATS, POTATOES, ONIONS, SALT
SEED POTATOES, ONION SETS
POULTRY SUPPLIES AND REMEDIES
SHEEP MANURE, LAND LIME, BONE MEAL, HUMUS,
FERTILIZER FOR ALL CROPS

LAWN GRASS SEEDS—Composed of a well-balanced formula of the very best seeds suitable for this section; will produce a perfect lawn of firm and elastic turf. Also special mixture for shady spots.

OTHER GRASS SEEDS—Timothy, Red Clover, White Clover, Alfalfa Clover, Alsike Clover, Blue Grass, Orchard Grass, Red Top Grass, Lawn Grass, Hungarian and Golden Millet, Permanent Grass Mixture, etc.

Full Line of Choice Flower Seed, Extra Fine Sweet Peas and Nasturtiums in Bulk.

TO SMALL GARDENERS AND BEGINNERS—Many times we hear the remark that there is no satisfaction in planting vegetable, lawn grass or other seeds, because they do not get good results. The trouble generally is **they do not get seeds suitable to the locality**. We have been supplying farmers all over Long Island, we know what seeds will give best results and are selling to gardeners the **very same seeds we sell to farmers in bulk**. Extra fine strains of Sweet Peas and Nasturtiums sold in bulk.

While we exercise the greatest care to have all seeds pure and reliable, we give no warranty, either expressed or implied, as to the description, quality, productiveness, or any other matter, of any seeds we send out and will not be in any way responsible for the crop. If the purchaser does not accept the seeds on these conditions they must be returned at once.—J. & T. Adikes.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

J. & T. ADIKES, JAMAICA AND FLUSHING

GREEN BEANS

As soon as the ground is warm and the season favorable, plant in rows 2 feet apart, and the beans 2 inches apart and 2 inches deep in the rows.

	1/2 lb	1 lb	2 lbs	5 lbs
Red Valentine15	.25	.45	1.00
Yellow Six Weeks.....	.15	.25	.45	1.00
Mohawk15	.25	.45	1.00
Horticultural(dwarf) ..	.20	.30	.50	1.10
Refugee (early)15	.25	.45	1.00
Goddard20	.30	.50	1.10
*Black Valentine20	.30	.50	1.10
Burpee's Stringless..	.25	.35	.60	1.25
Refugee 1000 to 1..	.20	.30	.50	1.10
French Horticultural ..	.20	.35	.60	1.25
Bountiful Beans25	.35	.60	1.25
White Navy10	.15	.25	.55
White Marrow10	.15	.25	.55

WAX BEANS

	1/2 lb	1 lb	2 lbs	5 lbs
Rust Proof B. W.....	.20	.30	.50	1.10
Valentine20	.30	.50	1.10
Refugee20	.30	.50	1.10
*Imp. Black Wax.....	.20	.30	.50	1.10
*Imp. Golden Wax..	.20	.30	.50	1.10
Prolific Black Wax.....	.20	.30	.50	1.10
*Weber Wax20	.30	.50	1.10
Golden Eye Wax.....	.20	.35	.60	1.25
White Kidney20	.30	.50	1.10

BUSH LIMAS

As soon as the ground is warm and the season favorable, plant in rows 2 feet apart, and the beans 4 inches apart and 2 inches deep in the rows.

	1/2 lb	1 lb	2 lbs	5 lbs
*Burpee's Bush Imp.25	.40	.70	1.50
Dreer's Bush Imp.....	.25	.40	.70	1.50
Fordhook Bush Imp.25	.40	.70	1.50
Henderson B. Imp.....	.25	.40	.70	1.50

POLE BEANS

Pole Beans require poles 8 to 10 feet long and should not be planted too early. Set the poles 4 feet apart each way, and plant 5 to 6 beans, about 1 inch deep, around each pole. Thin out to 3 plants to a pole.

	1/2 lb	1 lb	2 lbs	5 lbs
Large White Lima..	.25	.40	.70	1.50
Improved Lima25	.40	.70	1.50
Potato Lima25	.40	.70	1.50
Old Homestead or Kentucky Wonder20	.30	.55	1.30
Scarlet Runner25	.40	.70	1.50

BEETS

A light, well enriched soil is the best suited for the beet culture. Sow in drills 1 foot apart and 1 inch deep, as early as the ground can be worked; when the plants are large enough thin out to stand 6 inches apart in rows.

	oz.	1/4 lb.	1 lb.
Egyptian Early10	.30	.90
Early Dirigo10	.30	1.00
Detroit (dark red).....	.10	.30	.80
Dark Red Turnip.....	.10	.30	.80
*Eclipse10	.30	.80
*Dewing's Turnip10	.30	.80
Edmond's Blood Turnip ..	.10	.30	.80
Long Red Dark (smooth) ..	.10	.30	.80
1/2 Long Blood.....	.10	.30	.80

(Mangle Beet under Mangle)

BROCCOLI

	oz.	1/4 lb.	1 lb.
Seed45	1.05	3.50

CABBAGE

For early use sow in hot-beds or cold frames, transplanting to open ground when danger from killing frost is past, in rows 2 feet apart and 18 inches apart in the row. Later sow in shallow drills 3 or 4 inches apart, transplanting in rows 2 1/2 feet apart and 2 feet apart in the row.

Early Jersey Wakefield ..	.50	1.90	5.00
Charleston Lg. Wake'd ..	.50	1.90	5.00
*Early Flat Dutch.....	.50	1.90	5.00
Early Succession50	1.90	5.00
Large Late Flat Dutch ..	.50	1.90	5.00
Drumhead Savoy50	1.90	5.00
Large Red Rock.....	.50	1.90	5.00
Large Red Dutch.....	.50	1.90	5.00
Copenhagen50	1.90	5.00
Pe Tsai Chin. Cabbage ..	.60	1.95	5.75

*Popular Varieties.

CARROTS

	oz.	1/4 lb.	1 lb.
Early Horn10	.30	.90
Oxhart10	.30	.90
1/2 Long Pointed.....	.10	.30	.90
1/2 Long Stump Rooted ..	.10	.30	.90
Chantenay 1/2 Long.....	.10	.30	.90
Imp. Long Orange.....	.10	.25	.80
*Danver's Imp. 1/2 Long ..	.10	.25	.80
Rubicon 1/2 Long.....	.10	.30	.90
Nantes10	.30	.90

CUCUMBERS

Sow in the open ground as soon as warm weather is assured, in hills 4 feet apart, 8 to 12 seeds in a hill, and cover about one inch deep—firming the soil. When the fourth leaf appears thin to 3 plants to each hill.

	oz.	1/4 lb.	1 lb.
White Spine15	.40	1.20
Jersey Pickling15	.40	1.20
Boston Pickling15	.40	1.20
Green Prolific15	.40	1.20
Long Green15	.40	1.30
Imp. White Spine15	.40	1.20
Fordhook Pickling15	.40	1.20

CAULIFLOWER

	oz.
Early Dwarf Erfurt	2.25
Early Snowball	2.25
Early Paris	1.20

Packages 25 cents

CORN

Sugar corn is liable to rot and should not be planted until the ground has become warm; for a succession, plant every two weeks, until the middle of July, in hills 3 feet apart each way, covering about half an inch deep, and thin out to 3 plants to a hill. The extra early varieties can be planted 18 inches in the row and 2 1/2 feet between the rows.

	1/2 lb	1 lb	2 lbs	5 lbs
*Golden Bantam15	.25	.45	1.00
*L. I. Beauty.....	.15	.25	.45	1.00
Country Gentleman ..	.15	.25	.45	1.00
White Corey15	.25	.45	1.00
Red Corey15	.25	.45	1.00
Early Giant15	.25	.45	1.00
Champion15	.25	.45	1.00
Mammoth Early15	.25	.45	1.00
Mammoth Late15	.25	.45	1.00
Metropolitan15	.25	.45	1.00
Adam's Early10	.20	.35	.90
Stowell's Evergreen ..	.15	.25	.40	1.00
Golden Cream15	.25	.40	1.00
Sweet Fodder10	.15	.25	.50
White Flint10	.15	.25	.50
Yellow Flint10	.15	.25	.50

CELERY

Sow early in an open border, in shallow drills, and water freely in dry weather. Rolling or pressing the seed in the soil is more satisfactory than covering. When the plants are 5 to 6 inches high, transplant in rows 3 to 4 feet apart; plant 6 inches apart in the row. Cultivate well, and when large enough, blanch by earthing up. To make the plants stocky, cut the tops off once or twice.

	oz.	1/4 lb.	1 lb.
Gold Self Blanch.....	.90	2.25	5.00
Imp. French Gold Self Blanch	1.10	3.00	8.00
White Plume30	1.00	3.50
Celeriac30	1.00	3.00
Cutting Celery25	.75	2.50
Dwarf Golden Heart....	.35	1.25	3.50
Giant Pascal30	1.00	3.00
Giant Golden Heart....	.35	1.25	3.50
American Giant35	1.25	3.50

Cress15	.50	1.50
Chervil20	.60	2.00

Small packages 10 cents

DANDELION

	oz.	1/4 lb.	1 lb.
Imp. Large Leaf.....	1.10	3.00	8.00
Common75	2.00	7.00

Small Packages 10 cents

*Popular Varieties.

DILL

	oz.	1/4 lb.	1 lb.
Mammoth10	.30	.90

ENDIVE-ESCAROLE

Sow in shallow drills in April for early use or late use in June or July. When 2 or 3 inches high, transplant into good ground or thin out to 1 foot apart. When nearly full grown, and before they are fit for the table, they must be bleached. The plants will bleach in three or four weeks, if covered with boards or slats.

	oz.	1/4 lb.	1 lb.
White Curled15	.40	1.25
Green Curled15	.40	1.25
Broad-Leafed Batavian ..	.15	.40	1.25
French (Witlof Chicory)25	.70	2.25

Small Packages 10 cents

EGG PLANT

Sow in hotbeds early in March. When 3 inches high pot the young plants so that they may become stocky. Plant out when the season has become warm, about 3 feet apart each way. Draw the earth up to the stems when about a foot high.

	oz.	1/4 lb.	1 lb.
Long Purple70	2.00	7.00
N. Y. Imp. Spineless....	.70	2.00	7.00

Small Packages 10 cents

FENNEL

	oz.	1/4 lb.	1 lb.
Florence or Naples.....	.20	.70	1.70

Small Packages 10 cents

FETTICUS OR CORN SALAD

Sow in spring in drills 1 foot apart. It will mature in six or eight weeks. For winter and early spring use, sow in drills in August and September.

Large Seeded Feticus..	.15	.45	1.40
Large Chicory15	.50	1.50

HERBS

	oz.	1/4 lb.
Borage20	.50
Summer Savory20	.60
Sage35	1.00
Fennel Florence20	.70
Thyme60	1.80
Coriander20	.55
Sweet Marjoram35	1.10
Lavender80	2.00

KALE

The Kales are more hardy than Cabbage, make excellent green for winter and spring use, and are improved by frost. Sow in May and cultivate the same as Cabbage. For early spring use sow in September and protect during winter. Do not handle while in a frozen condition.

	oz.	1/4 lb.	1 lb.
Half Dwarf Scotch Green Curled15	.40	1.25
*German Green of Sprouts Dwarf15	.40	1.10
Sprouts Home Grown..	.15	.45	1.50
Brown15	.40	1.25

Small Packages 10 cents

KOHL RABI

Kohl Rabi is a vegetable intermediate between the Cabbage and Turnip. It is hardy, withstands drought and is a good keeper. Sow in spring in rows 18 inches apart and thin out to 10 inches in the row. In hoeing be careful not to get the earth into the heart of the plant.

	oz.	1/4 lb.	1 lb.
Large Purple30	.90	2.50
White Vienna30	.90	2.50

Small packages 10 cents

LEEK

	oz.	1/4 lb.	1 lb.
Carvetian or Large Musselburgh25	.75	2.00
American Broad Flag....	.25	.95	2.75

*Popular Varieties.

J. & T. ADIKES, JAMAICA AND FLUSHING

LETTUCE

Lettuce can be sown almost any time of the year. For successive crops, sow in the open ground as early in the spring as possible and continue until July. Always thin out well or the plants will not be strong. When wanted for salad sow thick in rows or broadcast.

	oz.	¼lb.	1 lb.
Curled Silesia15	.35	1.00
*Boston Market20	.50	1.50
Prize Head15	.40	1.25
Hanson15	.40	1.25
Black Seed Butter.....	.15	.40	1.25
Salmander15	.35	1.25
Big Boston20	.50	1.50
Gardeners Stock20	.50	1.50
*Paris White Cos or			
Romaine25	.50	1.50
May King15	.40	1.25
Crisp as Ice15	.40	1.25

WATER MELON

	oz.	¼lb.	1 lb.
Halbert Honey15	.35	1.00
Mountain Sweet15	.35	1.00
Iron Clad15	.35	1.00

MUSK MELON

	oz.	¼lb.	1 lb.
Rocky Ford20	.50	1.50
Emerald Gem20	.50	1.50
Hackensack20	.50	1.50

CITRON MELON

	oz.	¼lb.	1 lb.
Red Seeded10	.35	1.00
Green Seeded10	.35	1.00

MANGLE

	oz.	¼lb.	1 lb.
White Sugar10	.25	.60
Long Red Mangle.....	.10	.25	.60
Yellow Globe Mangle....	.10	.25	.60
Golden Tankard10	.25	.60

ONIONS

For sets, sow as early in the spring as possible, very thickly in drills. As soon as the tops die off remove them to a dry airy place. For large onions the first season, sow thinly in drills 1 foot apart, and about ¼ inch deep; thin out to stand 3 or 4 inches apart in the drills.

	oz.	¼lb.	1 lb.
Yellow Globe (Danvers) .20	.60	1.75	
*Yellow Danvers (Flat) .20	.60	1.75	
White Globe30	.90	2.70
White Portugal30	.90	2.70
Red Globe30	.90	2.70
Prize Taker25	.75	2.10
New Queen Pickling....	.40	1.00	3.50
White Bartlettia40	1.00	3.50
*L'g' Red Wethersfield .20	.60	1.75	

ONION SETS

Ask for prices. White, Red and Yellow

OKRA

	oz.	¼lb.	1 lb.
Dwarf Green10	.30	.75
Tall10	.30	.75
White Velvet10	.30	.75

PEPPER

The seed should be sown in a hotbed or greenhouse in March or early in April, and when about an inch high, pot in 2-inch pots. Plant out about June 1st, 2½ feet apart.

	oz.	¼lb.	1 lb.
Long Red Cayenne.....	.50	1.50	
Large Bull-nose Red.....	.55	1.70	
*Sweet Mountain55	1.70	
Neapolitan55	1.70	
Ruby King55	1.70	

PARSNIP

Sow as early in spring as weather will permit, in drills 18 inches apart, covering half an inch deep. When well up thin to 5 or 6 inches apart in the row.

	oz.	¼lb.	1 lb.
Hollow Crown15	.40	1.00

*Popular Varieties.

PEAS

Sow as soon as danger of frost is over in drills 3 or 4 inches deep, using one quart to 100 feet of drill; rows 2½ to 3 feet apart. A good way is to sow in double drills 6 or 8 inches apart, one inch apart in the drill. Smooth varieties should be sown first; wrinkled varieties later after the ground has become warm as they are more liable to rot. Late varieties should be planted 5 to 6 inches deep.

	oz.	¼lb.	1 lb.	2 lbs.	5 lbs.
*Alaska15	.25	.45	.95	
Telephone25	.40	.70	1.55	
Nott's Excelsior25	.40	.70	1.55	
American Wonder25	.40	.70	1.55	
Little Gem25	.40	.75	1.75	
Premium Gem25	.40	.75	1.75	
Stratagem25	.40	.75	1.75	
*Market Garden..	.25	.40	.70	1.50	
Early Dexter25	.30	.55	1.35	
First and Best25	.30	.55	1.35	
Advancer25	.30	.55	1.35	
Duke of Albany25	.30	.55	1.35	
L. I. Mammoth.....	.25	.30	.55	1.35	
Thomas Laxton25	.40	.75	1.75	
Gradus25	.40	.75	1.75	

PARSLEY

Parsley succeeds best in a mellow, rich soil. Sow thickly in April in rows 1 foot apart and ¼ inch deep. Thin out the plants to stand 6 inches apart in the row. The seed is slow to germinate, soak a few hours in warm water before sowing.

	oz.	¼lb.	1 lb.
*Double Curled15	.40	1.25
Hamburg or Parsnip Rooted			
Hymershia15	.40	1.25

PUMPKIN

Plant any time after the ground has become warm, 4 to 8 seeds to the hill; hills about 8 feet apart each way. Do not plant near other vine crops; they can also be planted with corn after the last hoeing.

	oz.	¼lb.	1 lb.
Large Cheese15	.40	1.15

RADISH

Radishes thrive best in light, rich, mellow soil. Sow in drills 10 inches apart and thin to 2 inches in the rows. For a succession sow at intervals of two or three weeks until September. Sow winter varieties in July and August.

	oz.	¼lb.	1 lb.
Early Scarlet Turnip, White			
Tipped Forcing15	.40	1.10
White Summer15	.40	1.10
Rose China15	.40	1.10
Scarlet Globe15	.35	.90
Crimson Giant15	.40	1.25
*Scarlet Turnip, White			
Tipped15	.35	.90
French Breakfast15	.35	1.00
Iceberg15	.35	1.00
Round Black Fall Span. .15	.40	1.10	
½ Round Black Fall			
Spanish15	.40	1.10
Long Black Spanish....	.15	.40	1.10

SQUASH

Plant in warm, rich, light soil, after the weather has become warm. Plant in hills 3 or 4 feet apart each way—the running varieties 6 to 8 feet. Eight to ten seeds should be sown in each hill, thinning out after they have attained their rough leaves to 3 or 4 plants to the hill.

	oz.	¼lb.	1 lb.
White Bush20	.50	1.25
White Scallop20	.50	1.25
Hubbard20	.50	1.50
Italian Squash Coco			
Zelle20	.50	1.45
Crookneck20	.50	1.50
*Boston Marrow15	.40	.90
Orange Marrow15	.40	.90

SORREL

	oz.	¼lb.	1 lb.
Sorrel35	.90	2.25

*Popular Varieties.

SPINACH

Spinach is an important market gardener's crop of easy culture. For spring and summer use sow either broadcast or in drills 1 foot apart and 1 inch deep, as early as the ground can be worked, and every two weeks for a succession. For winter and early spring use, sow in September in well manured ground; cover with straw on the approach of severe cold weather.

	oz.	¼lb.	1 lb.
Victoria10	.20	.45
New Zealand15	.40	.90
*New Thick Leaf.....	.10	.20	.45
Long Standing20	.30	.45
*Savoy-Leafed10	.20	.45
Round20	.30	.45
Early Giant10	.20	.50

Swiss Chard (used for greens) 10 .30 1.15

	oz.	¼lb.	1 lb.
Salsify or Oyster Plant,			
Sandwich Island25	.80	2.00

SPROUTS

	oz.	¼lb.	1 lb.
Dwarf Brussels35	.90	—
*Early Green Curled....	.25	.70	1.95
Late Green25	.70	2.00

Small packages 10 cents

TOMATO

For early plants sow in hot-beds early in March; when 2 inches high transplant 4 inches apart each way; plant in the open ground as soon as danger of frost is over—hills 4 feet apart each way.

	oz.	¼lb.	1 lb.
Spark's Earliana40	1.25	4.00
Perfection40	1.25	3.50
Trophy50	1.50	4.00
Ruby50	1.50	4.00
Fordhook40	1.25	4.00
New Stone40	1.25	3.50
Early Acme40	1.25	3.50
Beauty (Livingston's)..	.40	1.25	3.50
Early Red40	1.25	3.50
Favorite40	1.25	3.50
Paragon40	1.25	3.50
Ponderosa60	1.75	5.50
John Baer40	1.25	4.00
Early June Pink.....	.50	1.50	4.50

Small packages 10 cents

TURNIP

For early use sow as soon as the ground can be worked in the Spring, in drills fourteen inches apart—Ruta Bagas thirty inches; thin the early varieties to 6 to 9 inches in the row—Ruta Bagas to 12 inches.

	oz.	¼lb.	1 lb.
Red Top White Globe			
L. I. Strain.....	.10	.35	.90
Ruta Baga L. I. Strain .10	.35	.90	
White Globe Purple Top. 10	.35	.90	

FLOWERS

Asters	Pkg.	¼oz.	1 oz.
Mixed10	.30	.95
Red, White10	.30	.95
Pink, Crimson10	.30	.95

Cosmos	Pkg.	¼oz.	1 oz.
White05	.15	.45
Pink, Crimson05	.15	.40

Morning Glory	Pkg.	oz.
Seed05	.25

Nasturtium	Pkg.	oz.	¼lb.
Tall05	.15	.45
Dwarf05	.20	.50

Pansies	Pkg.	¼oz.	1 oz.
Mixed10	1.25	3.35

Sweet Peas	Pkg.	oz.	¼lb.
Mixed10	.25	.85

Salvia	Pkg.	¼oz.	1 oz.
Spends10	.60	1.90

*Popular Varieties.

FERTILIZERS

Your Flower and Vegetable Garden needs proper Fertilization to produce the best results. Our seedsmen will be pleased to advise the best kind for your individual use. J. & T. Adikes Fertilizers are especially chosen for local conditions and have given results to Farmers and Gardeners for years.

Nitrate of Soda
Ground Bone

Humus
Land Lime
Stimuplant

Sheep Manure
Fertilizer

INSECTICIDES

There are Insecticides and Fungicides for all Plant Diseases and Insects. To insure Remedy and Cure the Gardener must apply the right one. We carry a complete line of Insecticides and Fungicides and will advise on their uses.

Paris Green
Arsenate of Lead
Bordeaux Mixture
Nicotine
Helebore

Slug Shot
Lime Sulphur
Krystal Gas
Ca Ascu

Pyrox
Black Leaf 40
Tobacco Dust
Lice Powder
Grape Dust

Inspect our Sprayers—Built of best materials and of best workmanship.

LAWNS

A fine lawn depends upon good seed and proper application of Fertilizers. Our Lawn Grass Seed has grown beautiful lawns for many years.

PLANTS

An easy and sure way of growing fresh vegetables. Our plants have been grown from tested seed and have had the proper care, which insures best results. Celery, Cabbage, Tomato and other plants in season.

NOTICE!

Telephone and Mail Orders receive our most careful attention.

POULTRY SUPPLIES

Real Egg Mash
Chick Feed
Scratch Feed

Pratt's Remedies

Buttermilk Feed
Ful-o-Pep Feeds
Egg Preserver

J. & T. ADIKES

FULTON ST., JAMAICA, N. Y.

BROADWAY, near Bridge St. Station FLUSHING, N. Y.